


Havells PVC Insulated Industrial Cables (Flexible)



Price List w.e.f. 16th July, 2014

- FR/FR-LSH/HFFR PVC Insulated Industrial Cables
- Multicore Round PVC Cables
- Flat Three Core Industrial Cable for Submersible use
- Telecom & Co-axial Cables

Life Line  **Flame Retardant FR PVC Insulated Industrial Cables**

Havells Single Core copper conductor (Flexible)
FR PVC insulated industrial Cables (Unsheathed)
1100 Volts Conforming to IS: 694



Nominal area of conductor sq. mm	Life Line FR PVC Basic Code	List Price per 90 mtrs.	Std. Pkg of Coil in master Carton	Life Line FR PVC in project packing Basic Code	List Price per 180 mtrs.
0.5	WHFFDN...A1X50	725	20	WHFFDN...L1X50	1,450
0.75	WHFFDN...A1X75	1,010	20	WHFFDN...L1X75	2,020
1.0	WHFFDN...A11X0	1,350	20	WHFFDN...L11X0	2,700
1.5	WHFFDN...A11X5	1,995	16	WHFFDN...L11X5	3,990
2.5	WHFFDN...A12X5	3,200	12	WHFFDN...L12X5	6,400
4.0	WHFFDN...A14X0	4,720	4	WHFFDN...L14X0	9,440
6.0	WHFFDN...A16X0	7,105	4	WHFFDN...L16X0	14,210

...Fill the colour code i.e. B = Blue B.

Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

• Colours available: Red, Yellow, Blue, Black, Green & White.

Havells Single Core Copper Conductor (Flexible)
PVC Insulated Heavy Duty Industrial Cables
(Unsheathed), 1100 Volts Conforming to IS: 694




Nominal area of conductor sq. mm	Basic Code	List Price per 100 mtrs.
10	WHFFDN...B1010	14,275
16	WHFFDN...B1016	22,550
25	WHFFDN...B1025	34,365
35	WHFFDN...B1035	47,370
50	WHFFDN...B1050	68,155
70	WHFFDN...B1070	98,760
95	WHFFDN...B1095	1,30,295
120	WHFFDN...B1120	1,63,320
150	WHFFDN...B1150	2,04,755
185	WHFFDN...B1185	2,49,650
240	WHFFDN...B1240	3,62,085
300	WHFFDN...B1300	4,82,465
400	WHFFDN...B1400	6,40,465

...Fill the colour code i.e. B = Blue B.

Standard Packing: 100 mtrs. coils.

• Colours available: Red, Yellow, Blue, Green & Black.

life guard  **Flame Retardant Low Smoke & Halogen FR-LSH PVC Insulated Industrial Cables**

Havells Single Core copper conductor (Flexible) Industrial Cables
FR-LSH compound insulated (Unsheathed),
1100 Volts Conforming to IS: 694



Nominal area of conductor sq. mm	Life Guard FR-LSH Basic Code	List Price per 90 mtrs.	Std. Pkg of Coil in master Carton	Life Guard FR-LSH in project packing Basic Code	List Price per 180 mtrs.
1.0	WHFFFN...A11X0	1,465	20	WHFFFN...L11X0	2,930
1.5	WHFFFN...A11X5	2,190	16	WHFFFN...L11X5	4,380
2.5	WHFFFN...A12X5	3,535	12	WHFFFN...L12X5	7,070
4.0	WHFFFN...A14X0	5,205	4	WHFFFN...L14X0	10,410
6.0	WHFFFN...A16X0	7,830	4	WHFFFN...L16X0	15,660

...Fill the colour code i.e. B = Blue B.


Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

• Colours available: Red, Yellow, Blue, Black & Green.

Master Carton Packing for Single Core FR / FR-LSH / HFFR Flexible

Master Carton Size in mm	Conductor Size of wire in Sq. mm	No. of cartons packed in nos.
365 X 365 X 230	0.5, 0.75	20
365 X 365 X 315	1.0	20
370 X 370 X 240	1.5	16
425 X 425 X 180	2.5	12
237 X 237 X 245	4.0	4
260 X 260 X 288	6.0	4

Life Shield  **Halogen Free Flame Retardant HFFR Insulated Industrial Cables**

Havells Single Core copper conductor (Flexible) Industrial Cables
HFFR compound insulated (Unsheathed),
1100 Volts Generally conforming to IS: 694

Nominal area of conductor sq. mm	Life Shield HFFR Basic Code	List Price per 90 mtrs.	Std. Pkg. of Coil in master Carton	Life Shield HFFR in project packing Basic Code	List Price per 180 mtrs.
1.0	WHFFZN...A11X0	1,615	20	WHFFZN...L11X0	3,230
1.5	WHFFZN...A11X5	2,400	16	WHFFZN...L11X5	4,800
2.5	WHFFZN...A12X5	3,845	12	WHFFZN...L12X5	7,690
4.0	WHFFZN...A14X0	5,665	4	WHFFZN...L14X0	11,330
6.0	WHFFZN...A16X0	8,540	4	WHFFZN...L16X0	17,080

...Fill the colour code i.e. B = Blue B.

Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

• Colours available: Red, Yellow, Blue, Black & Green.



Multicore Round

Havells PVC insulated and PVC Round Sheathed, Copper Conductor (flexible) industrial cable, 1100 Volts, conforming to IS: 694



Nominal Area of Conductor sq. mm	Basic Code	List Price per 100 mtrs.	Basic Code	List Price per 100 mtrs.	Basic Code	List Price per 100 mtrs.
	2 Core		3 Core		4 Core	
0.50	WHMFDSKB2X50	2,695	WHMFDSKB3X50	3,460	WHMFDSKB4X50	4,375
0.75	WHMFDSKB2X75	3,430	WHMFDSKB3X75	4,695	WHMFDSKB4X75	5,955
1.00	WHMFDSKB21X0	4,225	WHMFDSKB31X0	5,965	WHMFDSKB41X0	7,635
1.50	WHMFDSKB21X5	5,750	WHMFDSKB31X5	7,825	WHMFDSKB41X5	10,110
2.50	WHMFDSKB22X5	9,130	WHMFDSKB32X5	12,605	WHMFDSKB42X5	16,260
4.00	WHMFDSKB24X0	14,285	WHMFDSKB34X0	19,195	WHMFDSKB44X0	25,180
6.00	WHMFDSKB26X0	21,465	WHMFDSKB36X0	29,860	WHMFDSKB46X0	38,100
10.00	WHMFDSKB2010	35,440	WHMFDSKB3010	48,635	WHMFDSKB4010	63,435
16.00	WHMFDSKB2016	59,120	WHMFDSKB3016	75,835	WHMFDSKB4016	97,255
25.00	WHMFDSKB2025	83,630	WHMFDSKB3025	1,18,145	WHMFDSKB4025	1,60,400
35.00	WHMFDSKB2035	1,14,300	WHMFDSKB3035	1,64,075	WHMFDSKB4035	2,20,695
50.00	-	-	WHMFDSKB3050	2,31,985	WHMFDSKB4050	3,04,055
70.00	-	-	WHMFDSKB3070	3,35,575	WHMFDSKB4070	4,42,325
95.00	-	-	WHMFDSKB3095	4,39,585	WHMFDSKB4095	5,73,525
	5 Core		6 Core		7 Core	
0.50	WHMFDSKB5X50	4,980	WHMFDSKB6X50	6,605	WHMFDSKB7X50	7,250
0.75	WHMFDSKB5X75	7,020	WHMFDSKB6X75	9,045	WHMFDSKB7X75	10,065
1.00	WHMFDSKB51X0	9,045	WHMFDSKB61X0	11,330	WHMFDSKB71X0	12,605
1.50	WHMFDSKB51X5	12,605	WHMFDSKB61X5	15,815	WHMFDSKB71X5	17,795
2.50	WHMFDSKB52X5	20,335	WHMFDSKB62X5	25,365	WHMFDSKB72X5	28,465
4.00	WHMFDSKB54X0	32,430	WHMFDSKB64X0	39,595	WHMFDSKB74X0	44,680
	8 Core		10 Core		12 Core	
0.50	WHMFDSKB8X50	8,790	WHMFDSKB10X50	10,390	WHMFDSKB12X50	12,200
0.75	WHMFDSKB8X75	11,835	WHMFDSKB10X75	14,330	WHMFDSKB12X75	16,575
1.00	WHMFDSKB81X0	14,970	WHMFDSKB101X0	18,245	WHMFDSKB121X0	21,025
1.50	WHMFDSKB81X5	21,160	WHMFDSKB101X5	25,770	WHMFDSKB121X5	29,890
2.50	WHMFDSKB82X5	33,895	WHMFDSKB102X5	41,230	WHMFDSKB122X5	48,370
4.00	WHMFDSKB84X0	52,975	WHMFDSKB104X0	65,520	WHMFDSKB124X0	77,065
	14 Core		16 Core		19 Core	
0.50	WHMFDSKB14X50	14,005	WHMFDSKB16X50	15,960	WHMFDSKB19X50	18,300
0.75	WHMFDSKB14X75	19,160	WHMFDSKB16X75	21,820	WHMFDSKB19X75	25,530
1.00	WHMFDSKB141X0	24,500	WHMFDSKB161X0	27,900	WHMFDSKB191X0	32,825
1.50	WHMFDSKB141X5	34,765	WHMFDSKB161X5	39,345	WHMFDSKB191X5	46,700
2.50	WHMFDSKB142X5	56,270	WHMFDSKB162X5	64,150	WHMFDSKB192X5	75,895
4.00	WHMFDSKB144X0	88,955	WHMFDSKB164X0	1,01,510	WHMFDSKB194X0	1,20,715

Standard Packing: 100 mtrs

also available: 500 mtrs. ± 5% on non returnable wooden drums (on demand)

Havells Flat Three Core PVC Insulated & PVC Sheathed Industrial Cable for Submersible Pump Motors

1100 Volts, conforming to IS: 694



Nominal area of conductor Sq.mm	Basic Code	List Price per 100 mtrs.	Nominal area of conductor Sq.mm	Basic Code	List Price per 100 mtrs.
1.5	WHPNDSKB31X5	8,085	10.0	WHPNDSKB3010	47,230
2.5	WHPNDSKB32X5	12,960	16.0	WHPNDSKB3016	73,075
4.0	WHPNDSKB34X0	18,980	25.0	WHPNDSKB3025	1,15,060
6.0	WHPNDSKB36X0	28,090	35.0	WHPNDSKB3035	1,57,560

Standard Packing: 100 mtrs

also available: 500 mtrs. ± 5% on non returnable wooden drums (on demand)

Havells Flexible Industrial Cables

Telecom Switch Board Cables

Havells PVC Insulated Telephone cables for indoor applications confirming to **TEC** specification **G/WIR06/02**



No. of Pairs	UNARMoured 0.5 mm ATC			
	Basic Code	List Price per 90 mtrs.	Basic Code	List Price per 180 mtrs.
1 p	WHTTATEA1P50	845	WHTTATEL1P50	1,690
2 p	WHTTATEA2P50	1,480	WHTTATEL2P50	2,960
3 p	WHTTATEA3P50	2,150	WHTTATEL3P50	4,300
4 p	WHTTATEA4P50	2,775	WHTTATEL4P50	5,550
5 p	WHTTATEA5P50	3,420	WHTTATEL5P50	6,840
10 p	WHTTATEA1050	6,585	WHTTATEL1050	13,170
20 p	WHTTATEA2050	11,925	WHTTATEL2050	23,850

Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

No. of Pairs	UNARMoured 0.4 mm ATC			
	Basic Code	List Price per 90 mtrs.	Basic Code	List Price per 180 mtrs.
1 p	WHTTATEA1P40	640	WHTTATEL1P40	1,280
2 p	WHTTATEA2P40	1,085	WHTTATEL2P40	2,170
3 p	WHTTATEA3P40	1,565	WHTTATEL3P40	3,130
4 p	WHTTATEA4P40	2,035	WHTTATEL4P40	4,070
5 p	WHTTATEA5P40	2,535	WHTTATEL5P40	5,070
10 p	WHTTATEA1040	4,790	WHTTATEL1040	9,580
20 p	WHTTATEA2040	8,860	WHTTATEL2040	17,720

Standard Packing: 90 mtrs. in carton

Project packing: 180 mtrs. poly wrapped

Havells CATV Co-axial Cables

(Electrolytic Grade solid annealed Cu. conductor, JF, AL. Foiled and AL. wire Braided)



Item / Type	Screen	Signal Losses db/100 yds at 100 Mhz.	Basic Code	List Price per 90 mtrs.	Basic Code	List Price per 305 mtrs.
RG 59 (Foam)	AL. FOIL + AL. BRAID	6	WHOJTTKARG59	2,515	WHOJTTKERG59	8,525
RG 6 (Foam)	AL. FOIL + AL. BRAID	5	WHOJTTKARG06	3,175	WHOJTTKERG06	10,760
RG 11 (Foam)	AL. FOIL + AL. BRAID	3.5	WHOJTTKARG11	7,235	WHOJTTKERG11	24,520

Standard Packing: 90 mtrs. in carton

Project packing: 305 mtrs. on plywood bobsins.

Havells Instrumentation Cables generally conforming to DIN - VDE 0815 / BS 5308, IS : 5608

Solid / Stranded annealed bare / tinned copper conductor, PVC Insulated, cores twisted to form pairs, pairs individual / overall shielded for interference rejection, unarmoured / armoured PVC sheathed 225 / 650 / 1100 Volts grade in conductor sizes : 0.5 / 0.75 / 1.0 / 1.5 sq.mm up to 80 pairs.

Also available with HR PVC / PE / Halogen Free Insulation and / or HR PVC / FR-LSH / Halogen Free Sheath.

Suitable for Low Frequency Signals.

Prices available on demand.

Prices to be made available on request on furnishing constructional & requirement details for sizes not covered by this list prices.

Note : Prices are inclusive of excise duty but exclusive of taxes.
: Additional properties of HFFR is not covered under IS:694

This price list supersedes all our previous list prices.

○ Items generally available in stock.

● Order are accepted subject to availability of stock or for economical run after confirmation

Terms & Condition: • Prices are in Indian Rupees • All prices inclusive of Excise Duty but exclusive of taxes/Delivery charges if paid by Havells shall be on behalf of customers only • Goods are dispatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers • Disputes, if any, are subject to Delhi jurisdiction only • This Price List supersedes all our previous Price List • Prices are subject to change without notice • Company reserves the right to issue amendments, which may arise due to any errors in the price list • Orders will be accepted in multiple of standard packing.



Havells India Ltd.

Corp Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304 (U.P), Ph. +91-120-3331000

Email: marketing@havells.com, www.havells.com Consumer Care No.: 1800 11 0303 (Tollfree)

011-4166 0303 (Landline), 1800 103 1313 (All Connections)

Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!

CIN - L31900DL1983PLC016304.



HAVELLS