



HAVELLS



PROFESSIONAL LUMINAIRES INDUSTRIAL / INSTITUTIONAL

LIST PRICE w.e.f. 1st July, 2017

Lighting with Innovation at Havells

At Havells, we believe light is the fourth dimension of architecture. It can guide and direct. It can also enhance and show objects in its dynamic and marvelous self.

We understand every space needs lighting that is tailor-made for it, enhances it and brings everything to life; and it is this property that has been the hallmark in every product that comes out of our factory.

Our luminaires are not merely tools of illumination but the torchbearers of a new era in lighting. They stand testimony to our strength in manufacturing, from OPTO electronics to LED technology and integrating them in our state-of-the-art plants.

Our customers can rely on every aspect of safety, performance and reliability from our products.

And now we present our latest offerings, designed taking into consideration the feedback received from clients, customers and designers alike:

Office Lighting: Paradigms have been redefined with the advent of open plan offices. We are proud to present our range of lighting products for a brighter and more productive office space.

Street Lights: Smart cities evolving in India demand Next-Gen lighting. Havells street lighting range encompasses all the features that are needed for a more efficient lighting system.

Landscape Lighting: The Havells range of landscape lighting products have been revamped and new products introduced, to keep in sync with market dynamics and needs.

Industrial Lighting: The 'Make in India' initiative has given rise to a new set of high-tech industries all over India. The Havells industrial lighting range aims to provide a wide range of lighting solutions to new and existing industries.

Retail Lighting: Retail shopping is all about experience. With Havells retail lighting, deliver new and exciting experiences to customers..

Solar Lighting: Ambitious solar growth in India demands light fittings that are rugged, durable and in tune with latest industry standards. Our range of solar lighting goes a step ahead. People and the environmental footprint are central to our approach and form the basis of our sustainable policy.

We combine our innovation and extensive experience to create lighting solutions that makes people feel good not only visually but also emotionally.





Introduction of Plants



Havells State of the art Luminaire Plant, Neemrana

CERTIFICATION



Havells lighting plant in Neemrana is spread over 30 acres of land with over 2,00,000 square feet of working space under a single roof. The plant has been made keeping in mind the global markets of Europe, US and the Middle East. Setting new benchmarks in the industry, this Havells plant will help bridge the technological divide between Europe and India when it comes to manufacturing high-end lighting luminaires.

Japanese flexible CNC controlled steel fabrication process for the accuracy in sheet punching & bending Italian robotised box bending machines to design complex enclosure shapes without human intervention Automated powder coating paint shop to minimize wastage & fast colour change Eco-friendly zero discharge plant Parabolic rolling machine for replicating complex and accurate forms and shapes Flexible assembly line Modern laboratories

Building customer confidence by providing a wide range of quality products and service through team work



“PAN India Illumination-Maruti Nexa Showrooms”

INDEX

PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



Indoor Commercial LED Luminaires

Architectural Range	10-11
Batten	12
Retrofit Lamps	13-14
Panel Lighting	15-17
Downlight	18-23
Dimmable Luminaires	24

Highbay Lights	28-29
Clean Room Lights	30-31

Industrial LED Luminaires



Outdoor LED Luminaires

Flood Lights	34
Landscape Lights	35-37
Street Lights	38-40
Solar Street Lights/Mini Mast	41

Conventional Luminaires Portfolio

Luminaires	44-48
Accessories	49-51
Lamps	52-53





Indoor Commercial LED Luminaires

Indoor lighting is an art. Havells understands human centric lighting which improves well-being and increases productivity. Hallmark of every luminaires shipped from Havells factory is a silent whisper of creativity and technology at its best.

DESTELLO SUSPENDED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded suspended light gives continuous lines of light distribution with the possibility of various shapes (suspension system included).

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
25W 840 50mm White	LHEDEEP6PL1W025	9405	5150/-	04
25W 857 50mm White	LHEDEEP7PL1W025	9405	5150/-	04
36W 840 50mm White	LHEDEEP6PL1W036	9405	5650/-	04
36W 857 50mm White	LHEDEEP7PL1W036	9405	5650/-	04

Fixture size in mm (LxWxH) 1137x53x76



DESTELLO RECESSED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded recessed light meant for POP/Gypsum ceilings gives continuous lines of light distribution with the possibility of various shapes (recess mounting clamps included).

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
25W 840 50mm White	LHECEFL6PL1W025	9405	5150/-	04
25W 857 50mm White	LHECEFL7PL1W025	9405	5150/-	04
36W 840 50mm White	LHECEFL6PL1W036	9405	5650/-	04
36W 857 50mm White	LHECEFL7PL1W036	9405	5650/-	04

Fixture cutout size in mm (LxWxH) 1148x67x73



SABER

SABER LED merges classic styling with cutting edge technology to provide quality illumination and superior optical control. Use of direct/ indirect LED light engines makes it excellent choice for low height ceiling applications and areas where ceiling uniformity and indirect lighting is important (suspension system included)

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
36W 840 1271 White	LHEDHRP6PY1W036	9405	9150/-	02
36w 857 1271 White	LHEDHRP7PY1W036	9405	9150/-	02

Fixture cutout size in mm (LxWxH) 1283x163x46




DESTELLO SUSPENDED DIRECT-INDIRECT

Uniquely clean & simple lighting system offering, uniform lines of light across ceilings. The aluminium extruded direct-indirect light effect gives homogenous light distribution effect & enhances the visual comfort (suspension system included).

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
36W 840 1140 White	LHEDDLP6PY1W040	9405	9580/-	08
36W 857 1140 White	LHEDDLP7PY1W040	9405	9580/-	08

Fixture size in mm (LxWxH) 1146x45x101.



TECHZONE

Uniquely clean & simple lighting system offering continuous light for Armstrong Techzone ceiling system. The minimal design offers outstanding visual comfort with end to end seamless integration

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
28W 840 1200	LHEDDLP6PL1W028	9405	5465/-	01
28W 857 1200	LHEDDLP7PL1W028	9405	5465/-	01

Fixture size in mm (LxWxH) 1196x146x102.



Indoor Commercial LED Luminaires

ARCHITECTURAL RANGE

WINGO

Specially designed direct-indirect transparent optical system which provides sufficient light levels on work plane and at the same time illuminating the ceiling with a harmonious and pleasant appearance.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
40W 830 Black	LHEDDGP5PW1W040	9405	16080/-	01
40W 840 Black	LHEDDGP6PW1W040	9405	16080/-	01
40W 857 Black	LHEDDGP7PW1W040	9405	16080/-	01
Fixture size in mm (LxWxH) 1112x280x48. LGP - Light Guide Plate				



AVION

Contemporary suspended light to match the ergonomics of next generation offices with PC diffuser and extruded aluminium anodised housing.


Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
40W 830 1200	LHEDDGN5IX1W040	9405	7845/-	01
40W 840 1200	LHEDDGN6IX1W040	9405	7845/-	01
40W 857 1200	LHEDDGN7IX1W040	9405	7845/-	01
Fixture size in mm (LxWxH) 1146x101x45.				



CONSTA LED

Suspended architectural LED luminaire provides soft-light and glare free symmetrical illumination (with continuous mounting end cap).

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
20W 830 544	LHECDOL5PW1W020	9405	2780/-	04
20W 840 544	LHECDOL6PW1W020	9405	2780/-	04
20W 857 544	LHECDOL7PW1W020	9405	2780/-	04
40W 830 1144	LHECDOL5PW1W040	9405	4750/-	04
40W 840 1144	LHECDOL6PW1W040	9405	4750/-	04
40W 857 1144	LHEYBYP7PE1W040	9405	4750/-	04
Fixture size in mm (LxWxH) 600x106x60 (for 20W) & 1200x106x60 (for 40W).				



MONDO

Mondo is a suspended LED luminaire that combines uncompromising design with high lighting levels and good ergonomics. The circular model is a good alternative for general lighting purposes.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
25W 830 400mm White	LHEDECP5PL1W025	9405	6250/-	04
25W 840 400mm White	LHEDECP6PL1W025	9405	6250/-	04
25W 857 400mm White	LHEDECP7PL1W025	9405	6250/-	04
Fixture size in mm Dia 400, Height 70.				



LUMILINE

Basic all purpose surface and wall mounted LED batten with polycarbonate housing & integrated electronic driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
9W 830	LHEXBQP5IN1W009	9405	510/-	10
9W 840	LHEXBQP6IN1W009	9405	510/-	10
9W 865	LHEXBQP7IN1W009	9405	510/-	10
18W 830	LHEXBQP5IN1W018	9405	625/-	10
18W 840	LHEXBQP6IN1W018	9405	625/-	10
18W 865	LHEXBQP7IN1W018	9405	625/-	10

Fixture size in mm (LxWxH) 597x25x41 (for 9W) & 1040x25x41 (for 18W).



ENDURA LINEAR NEO

Surface and wall mounted LED batten, extruded aluminium housing provided for efficient heat dissipation with polycarbonate diffuser & integrated electronic driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
10W 830	LHEWEBP5IN1W010	9405	975/-	10
10W 840	LHEWEBP6IN1W010	9405	975/-	10
10W 857	LHEWEBP7IN1W010	9405	975/-	10
20W 830	LHEWEBP5IN1W020	9405	1335/-	10
20W 840	LHEWEBP6IN1W020	9405	1335/-	10
20W 857	LHEWEBP7IN1W020	9405	1335/-	10

Fixture size in mm (LxWxH) 600x108x62 (Attachment 10W) & 1200x108x62 (for 20W).



STOUT

Stout LED is a complete range of LED battens to replace traditional T8 battens (600mm & 1200mm). The range is perfect for lighting large areas such as corridors, warehouses & general purpose spaces.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
20W 840 600	LHEYBYP6OE1W020	9405	2540/-	01
20W 857 600	LHEYBYP7OE1W020	9405	2540/-	01
40W 840 1200	LHEYBYP6OE1W040	9405	3630/-	01
40W 857 1200	LHEYBYP7OE1W040	9405	3630/-	01

Fixture size in mm (LxWxH) 600x66x76 (for 20W) & 1200x66x76 (for 40W).



REGAL BATTEN FOR LED TUBE

Universal batten for G13 T8 lamps.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
Upto 1x22W LED Tube (Single Side)	LHFYBYPNIA1W022	9405*	315/-	10
Upto 2x22W LED Tube (Single Side)	LHFYBYG2IN1W020	9405*	370/-	10
Upto 1x22W LED Tube (Double Side)	LHFYBWP1TB1W020	9405*	315/-	10
Upto 2x22W LED Tube (Double Side)	LHFYBWP2TB1W020	9405*	370/-	10

LED Tubes to be ordered separately.



Indoor Commercial LED Luminaires

RETROFIT LAMPS

PHOTON ULTRA LED TUBELIGHT (Single Side Connection)

Ultra bright LED polycarbonate Tubelight with very high efficacy suited for installation in existing T8 tubelight with G13 lamp holders to give glare free light.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
10W 865 603mm	LHLDCLXNUL8X010	9405	430/-	10
13W 865 1213mm	LHLDCLXNUL8X013	9405	615/-	25
15W 865 1213mm	LHLDCLXNUL8X015	9405	625/-	25
18W 865 1213mm	LHLDCLXNUL8X018	9405	630/-	25
20W 865 1213mm	LHLDCLXNUL8X020	9405	640/-	25



PHOTON ULTRA PLUS LED TUBELIGHT (Single Side Connection)

Ultra bright LED polycarbonate Tubelight with <10% THD with very high efficacy suited for installation in existing T8 tubelight with G13 lamp holders to give glare free light.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
10W 865 603mm	LHLDCLXEUL83010	9405	545/-	10
13W 865 1213mm	LHLDCLXEUL83013	9405	690/-	25
15W 865 1213mm	LHLDCLXEUL83015	9405	695/-	25
18W 865 1213mm	LHLDCLXEUL83018	9405	700/-	25
20W 865 1213mm	LHLDCLXEUL83020	9405	705/-	25



CRYSTAL GLASS LED TUBELIGHT (Double Side Connection)

Ultra bright glass LED Tubelight with very high efficacy suited for installation in existing T8 tubelight with G13 lamp holders to give glare free light.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
13W 865 1213mm	LHLD DAXEUL8Z013	9405	410/-	10
15W 865 1213mm	LHLD DAXEUL8Z015	9405	410/-	10
18W 865 1213mm	LHLD DAXEUL8Z018	9405	415/-	10



TITANIA SLEEK NEW T5 LED TUBELIGHT (Double Side Connection)

Ultra bright LED Tubelight with aluminium heat sink & polycarbonate diffuser having high efficacy suited for installation in existing T5 tubelight with G5 lamp holders to give glare free light with separate LED driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
9W 865 574mm	LHLD CNVENL8Z009	9405	685/-	10
18W 865 1148mm	LHLD CNVENL8Z018	9405	915/-	25



PHOTON ULTRA PL-L

Ultra bright LED PL-L with very high efficacy suited for installation in existing 2G11 lamp holders to give glare free light.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
9W 865 222mm	LHLD EJNEML8Z009	9405	650/-	25
18W 865 419mm	LHLD EJNEML8Z018	9405	950/-	25



NOVASTAR NEO 5W

Energy efficient 5W LED spotlight for low ceiling height applications. An alternative for MR16 halogen lamp.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
5W 830	LHEEAYPAIH1W005	9405	635/-	20
5W 840	LHEEAYPDIH1W005	9405	635/-	20
5W 857	LHEEAYPFIH1W005	9405	635/-	20
Suitable for Havells recommended MR16 luminaire.				



NOVASTAR NEO 7W

Energy efficient 7W LED spotlight for low ceiling height applications. An alternative for MR16 halogen lamp.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
7W 830	LHEEAYPAPH1W007	9405	820/-	30
7W 840	LHEEAYPDPH1W007	9405	820/-	30
7W 857	LHEEAYPPFH1W007	9405	820/-	30
Suitable for Havells recommended MR16 luminaire.				



LED FLEXI STRIP

Flexible LED strip uses high brightness SMD LED as the light source for indoor application only. It is highly suitable for cove-lighting, decorative lighting etc.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
24W 830 IP20 5 Mtr	LHEHDEP5UN1F024	9405	1190/-	01
24W 860 IP20 5 Mtr	LHEHDEP7UN1F024	9405	1190/-	01
55W 830 IP20 5 Mtr	LHEHDEP5UN1F055	9405	1725/-	01
55W 860 IP20 5 Mtr	LHEHDEP7UN1F055	9405	1725/-	01
Driver upto 24W	LSSLOW0081	9405	670/-	01
Driver upto 72W	LSSLOW0083	9405	1355/-	01



Indoor Commercial LED Luminaires

PANEL LIGHTING

VENUS NEO

Ultra modern designed architectural LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
18W 840 2x2	LHEWBPP6PW1W018	9405	3300/-	02
18W 857 2x2	LHEWBPP7PW1W018	9405	3300/-	02
24W 840 2x2	LHEWBPP6PW1W024	9405	3300/-	02
24W 857 2x2	LHEWBPP7PW1W024	9405	3300/-	02
28W 840 2x2	LHEWDRP6PK1W028	9405	3400/-	02
28W 857 2x2	LHEWDRP7PK1W028	9405	3400/-	02
34W 840 2x2	LHEWDRP6PK1W034	9405	3400/-	02
34W 857 2x2	LHEWDRP7PK1W034	9405	3400/-	02
34W 865 2x2	LHEWBPP7PK1W034	9405	3400/-	02
36W 865 2x2	LHEWBPP7PL1W036	9405	3400/-	02
42W 840 2x2	LHEWDRP6PK1W042	9405	3700/-	02
42W 857 2x2	LHEWDRP7PK1W042	9405	3700/-	02
42W 865 2x2	LHEWBPP7PW1W042	9405	3700/-	02
36W 840 4x1	LHEWBPP6PW1W036	9405	3700/-	02
36W 857 4x1	LHEWBPP7PW1W036	9405	3700/-	02

Fixture size in mm (LxWxH) 600x600x70 for 2x2, Fixture size in mm (LxWxH) 1200x300x70 for 4x1.



PLUTO NEO PANEL 2X2

Environmental friendly, new generation, aesthetically designed, ultra modern recess mounting luminaire with high brightness SMD LEDs as light source, suitable for Armstrong/Grid ceiling.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
28W 840 2x2	LHEWEJP6PL1W028	9405	4480/-	02
28W 857 2x2	LHEWEJP7PL1W028	9405	4480/-	02
34W 840 2x2	LHEWEJP6PL1W034	9405	4570/-	02
34W 857 2x2	LHEWEJP7PL1W034	9405	4570/-	02
42W 840 2x2	LHEWEJP6PL1W042	9405	4840/-	02
42W 857 2x2	LHEWEJP7PL1W042	9405	4840/-	02

Fixture size in mm (LxWxH) 600x600x70.



PLUTO NEO PANEL 4X1

Environmental friendly, new generation, aesthetically designed, ultra modern recess mounting luminaire with high brightness SMD LEDs as light source, suitable for Armstrong/Grid ceiling.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
30W 840 4x1	LHEWEJP6PW1W030	9405	4750/-	02
30W 857 4x1	LHEWEJP7PW1W030	9405	4750/-	02
36W 840 4x1	LHEWEJP6PW1W036	9405	5020/-	02
36W 857 4x1	LHEWEJP7PW1W036	9405	5020/-	02

Fixture size in mm (LxWxH) 1200x300x70.



PLUTO 2X2

Aesthetically designed 2x2 LED Flat panel which provides soft-light and glare free symmetrical illumination. Also for POP ceilings (supplied with wedge brackets).

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
28W 840 2x2	LHEWEIP6PW1W028	9405	4660/-	02
28W 857 2x2	LHEWEIP7PW1W028	9405	4660/-	02
34W 840 2x2	LHEWEIP6PW1W034	9405	4750/-	02
34W 857 2x2	LHEWEIP7PW1W034	9405	4750/-	02
42W 840 2x2	LHEWEIP6PW1W042	9405	5020/-	02
42W 857 2x2	LHEWEIP7PW1W042	9405	5020/-	02

Fixture size in mm (LxWxH) 600x600x70.



PLUTO 4X1

Aesthetically designed 4x1 LED Flat panel which provides soft-light and glare free symmetrical illumination. Also for POP ceilings (supplied with wedge brackets).

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
30W 840 4x1	LHEWEIP6PW1W030	9405	4930/-	02
30W 857 4x1	LHEWEIP7PW1W030	9405	4930/-	02
36W 840 4x1	LHEWEIP6PW1W036	9405	5200/-	02
36W 857 4x1	LHEWEIP7PW1W036	9405	5200/-	02

Fixture size in mm (LxWxH) 1200x300x70.



PLUTO 2X1

High efficacy 2x1 recess LED flat panel with high brightness LED for glare-free homogenous illumination. Also for POP ceilings (supplied with wedge brackets).

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
20W 840 2x1	LHEWEJP6PW1W020	9405	3270/-	02
20W 857 2x1	LHEWEJP7PW1W020	9405	3270/-	02
28W 840 2x1	LHEWEIP6IW1W028	9405	3630/-	02
28W 857 2x1	LHEWEIP7IW1W028	9405	3630/-	02

Fixture size in mm (LxWxH) 600x300x70.




PLUTO 1X1

High efficacy 1x1 recess LED flat panel with high brightness LED for glare-free homogenous illumination. Also for POP ceilings (supplied with wedge brackets).

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 840 1x1	LHEWEJP6PW1W015	9405	2105/-	01
15W 857 1x1	LHEWEJP7PW1W015	9405	2105/-	01

Fixture size in mm (LxWxH) 300x300x70.



ENDURA SLIM PRO PLUS

36W LED edge-lit luminaire suitable for armstrong/grid ceiling complete for low ceiling applications.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
36W 840 2x2	LHECDIL6PP1W036	9405	3255/-	04
36W 865 2x2	LHECDIL7PP1W036	9405	3255/-	04
36W LED Driver	LHGDODDFCQAL040	9405	895/-	40

Fixture size in mm (LxWxH) 600x600x12 (Driver to be ordered separately)



SOFTLINE BRILLIANT NEO

34W recess softline luminaire suitable for armstrong/grid ceiling with high brightness LEDs and PMMA extruded diffuser giving glare free light and good aesthetic appeal.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
34W 840 2x2	LHEWEBP6UL1W036	9405	4390/-	02
34W 857 2x2	LHEWEBP7UN1W036	9405	4390/-	02

Fixture size in mm (LxWxH) 595x595x70.



Indoor Commercial LED Luminaires

PANEL LIGHTING

SCOOP

Innovative direct/indirect luminaire suitable for armstrong/grid ceiling with high brightness LEDs and conical de-glaring prism center panel for efficient down light.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
34W 840 2x2	LHEWEEP6PW1W034	9405	5825/-	02
34W 857 2x2	LHEWEEP7PW1W034	9405	5825/-	02

Fixture size in mm (LxWxH) 595x595x70.



PLUTO PANEL (SURFACE)

Aesthetically designed 1x1 & 2x2 LED flat panel for surface mounting which provides soft-light and glare free symmetrical illumination.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 840 1x1	LHEWEIP6PL1W015	9405	2240/-	02
15W 857 1x1	LHEWEIP7PK1W015	9405	2240/-	02
34W 840 2x2	LHEWEIP6K1W034	9405	5020/-	02
34W 857 2x2	LHEWEIP7W1W034	9405	5020/-	02
42W 840 2x2	LHEWEIP6PN1W042	9405	5380/-	02
42W 857 2x2	LHEWEIP7PN1W042	9405	5380/-	02

Fixture size in mm (LxWxH) 300x300x70 (1x1) & 600x600x70 (2x2).



PLUTO PANEL (SURFACE)

Aesthetically designed 4x1 LED flat panel for surface mounting which provides soft-light and glare free symmetrical illumination.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
34W 840 4x1	LHEWEIP6PK1W034	9405	5020/-	02
34W 857 4x1	LHEWEIP7IK1W034	9405	5020/-	02
42W 840 4x1	LHEWEIP6IN1W042	9405	5380/-	02
42W 857 4x1	LHEWEIP7IN1W042	9405	5380/-	02

Fixture size in mm (LxWxH) 1200x300x70.



ORBIT

Ultra bright compact 5W LED downlighter with high efficacy LEDs, ideally suited for low ceiling areas to give glare free light (IP44 from front only).

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
5W 830	LHEBLAP5PZ1W005	9405	630/-	12
5W 840	LHEBLAP6PZ1W005	9405	630/-	12
5W 857	LHEBLAP7PZ1W005	9405	630/-	12

Ceiling cutout Ø 95 mm, height 83 mm.



ARDOR (Driver to be ordered separately)

Deep recessed antiglare LED downlight for general and accent lighting. The premium white reflector matches the ceiling and accentuates the architecture of the area without compromising the light output.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
24W 830	LHEBGTP5IZ1W024	9405	3300/-	06
24W 840	LHEBGTP6IZ1W024	9405	3300/-	06
24W 860	LHEBGTP7IZ1W024	9405	3300/-	06
24W LED Driver	LSSCRX1837	9405	575/-	06
35W 830	LHEBGTP5IZ1W035	9405	3985/-	06
35W 840	LHEBGTP6IZ1W035	9405	3985/-	06
35W 860	LHEBGTP7IZ1W035	9405	3985/-	06
35W LED Driver	LSSCRX1789	9405	945/-	06

Ceiling cutout 180 mm, height 90 mm for 24W, Ceiling cutout 210 mm, height 98 mm for 35W




SPIRIT (Driver to be ordered separately)

A minimalistic & versatile lighting source that offers a wide range of application with different aperture for same lamp unit. The lamp is deep recessed into the fixture to provide a glare-free solution.


Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
Lamp Unit 10W 2700K 24D	LHEBFMPBIB1W010	9405	1530	06
Lamp Unit 10W 4000K 24D	LHEBFMPDIB1W010	9405	1530	06
Lamp Unit 10W 2700K 38D	LHEBFMPBIH1W010	9405	1530	06
Lamp Unit 10W 4000K 38D	LHEBFMPDIH1W010	9405	1530	06
LED Driver 10W	LSSCRX1802	9405	470	
Lamp Unit 15W 2700K 24D	LHEBFMPBIG1W015	9405	1620	06
Lamp Unit 15W 4000K 24D	LHEBFMPDIG1W015	9405	1620	06
Lamp Unit 15W 2700K 38D	LHEBFMPBIH1W015	9405	1620	06
Lamp Unit 15W 4000K 38D	LHEBFMPDIH1W015	9405	1620	06
LED Driver 15W	LSSCRX2291	9405	630	06
Attachment 10W RD-D	LSSLOW0166	9405*	110	06
Attachment 10W RD-Oval	LSSLOW0167	9405*	110	06
Attachment 10W RD-O	LSSLOW0168	9405*	110	06
Attachment 10W RD-SYM	LSSLOW0169	9405*	110	06
Attachment 10W RD-Asym	LSSLOW0170	9405*	110	06
Attachment 10W SQ-O	LSSLOW0171	9405*	110	06
Attachment 15W RD-D	LSSLOW0172	9405*	135	06
Attachment 15W RD-Oval	LSSLOW0173	9405*	135	06
Attachment 15W RD-O	LSSLOW0174	9405*	135	06
Attachment 15W RD-SYM	LSSLOW0175	9405*	135	06
Attachment 15W RD-Asym	LSSLOW0176	9405*	135	06
Attachment 15W SQ-O	LSSLOW0177	9405*	135	06

Ceiling cutout 80 mm, height 85 mm Attachment 10W, Ceiling cutout 100 mm, height 85 mm for 15W

Ordering: Lamp unit + Driver + Attachment



Attachment RD-D



Attachment RD-Oval



Attachment RD-O



Attachment RD-ASYM



Attachment RD-SYM



Attachment SQ-O

Indoor Commercial LED Luminaires

DOWNLIGHTS

ENDURA HO

Endura HO is a highly efficient downlight with efficacy of 100 lm/W designed to replace CFL luminaire solutions. With its IP44 rating, the range is perfect for corridors, WCs, high public circulation areas and reception areas.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
12W 830	LHEAAGP5PL4W012	9405	1505/-	12
12W 840	LHEAAGP6PL4W012	9405	1505/-	12
12W 857	LHEAAGP7PL4W012	9405	1505/-	12
15W 830	LHEAAGP5PL4W015	9405	1670/-	12
15W 840	LHEAAGP6PL4W015	9405	1670/-	12
15W 857	LHEAAGP7PL4W015	9405	1670/-	12
21W 830	LHEAAGP5PL4W021	9405	2035/-	12
21W 840	LHEAAGP6PL4W021	9405	2035/-	12
21W 857	LHEAAGP7PL4W021	9405	2035/-	12
25W 830	LHEAAGP5PL4W025	9405	2225/-	12
25W 840	LHEAAGP6PL4W025	9405	2225/-	12
25W 857	LHEAAGP7PL4W025	9405	2225/-	12

Ceiling cutout Ø 145mm, height 45 mm for 12W, Ceiling cutout Ø 175mm, height 55 mm for 15W, Ceiling cutout Ø 205 mm, height 60 mm for 21W, Ceiling cutout Ø 225 mm, height 65 mm for 25W.



INTEGRA

Recess mounted downlighter with pressure die-cast aluminium heat sink & PC diffuser in white powder coated finish with integrated driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
10W 830	LHEBGSP5PZ1W010	9405	960/-	12
10W 840	LHEBGSP6PZ1W010	9405	960/-	12
10W 857	LHEBGSP7PZ1W010	9405	960/-	12
12W 840	LHEBGSP6PZ1W012	9405	1145/-	08
12W 857	LHEBGSP7PZ1W012	9405	1145/-	08
15W 830	LHEBGSP5PZ1W015	9405	1300/-	08
15W 840	LHEBGSP6PZ1W015	9405	1300/-	08
15W 857	LHEBGSP7PZ1W015	9405	1300/-	08
24W 830	LHEBGSP5PZ1W024	9405	1750/-	06
24W 840	LHEBGSP6PZ1W024	9405	1750/-	06
24W 857	LHEBGSP7PZ1W024	9405	1750/-	06

Ceiling cutout Ø 90mm, height 90 mm Attachment 10W, Ceiling cutout Ø 138mm, height 90 mm for 2/15W, Ceiling cutout Ø 175 mm, height 92 mm for 24W.



ENDURA DL NEO 7/10/12/15/18W

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
7W 830	LHEBJNP5PZ1W007	9405	895/-	12
7W 840	LHEBJNP6PZ1W007	9405	895/-	12
7W 857	LHEBJNP7PZ1W007	9405	895/-	12
10W 840	LHEBJNP6PZ1W010	9405	1120/-	12
10W 857	LHEBJNP7PZ1W010	9405	1120/-	12
12W 830	LHEJNP5CPZ1W012	9405	1390/-	12
12W 840	LHEJNP6CPZ1W012	9405	1390/-	12
12W 857	LHEJNP7CPZ1W012	9405	1390/-	12
15W 830	LHEBJNP5IN1W015	9405	1570/-	12
15W 840	LHEBJNP6IN1W015	9405	1570/-	12
15W 857	LHEBJNP7IN1W015	9405	1570/-	12
18W 830	LHEBJNP5PV1W018	9405	1695/-	12
18W 840	LHEBJNP6PV1W018	9405	1695/-	12
18W 857	LHEBJNP7PV1W018	9405	1695/-	12

Ceiling cutout Ø 100 mm, height 53 mm for 7/10W, Ceiling cutout Ø 155 mm, height 45 mm for 12/15/18W



RISE

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish with drop down PC diffuser with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 830	LHEBMIP5PZ1W015	9405	1570/-	12
15W 840	LHEBMIP6PZ1W015	9405	1570/-	12
15W 857	LHEBMIP7PZ1W015	9405	1570/-	12

Ceiling cutout Ø 155 mm, height 45 mm.



ENDURA DL NEO 21/25W

Recess mounted LED downlighter elegantly designed pressure die-cast Al. heat sink for efficient heat dissipation and separate replaceable electronic driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
21W 840	LHEBJNP6IZ1W021	9405	2375/-	08
21W 857	LHEBJNP7IZ1W021	9405	2375/-	08
25W 840	LHEBJNP6IZ1W025	9405	2510/-	08
25W 857	LHEBJNP7IZ1W025	9405	2510/-	08

Ceiling cutout Ø 180 mm, height 68 mm.



EDGEPRO ROUND

The Edgepro range of Slim-Fit low profile downlights are engineered to deliver superior light output and uniformity utilising the latest edge-lit LED technology. At only 25mm deep including bracket, they are an ideal solution where ceiling voids are limited but high lumen output is required.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
6W 840	LHEWEKP6PL1W006	9405	630/-	01
6W 857	LHEWEKP7PL1W006	9405	630/-	01
12W 840	LHEWEKP6PL1W012	9405	960/-	01
12W 857	LHEWEKP7PL1W012	9405	960/-	01
15W 840	LHEWEKP6PL1W015	9405	1165/-	01
15W 857	LHEWEKP7PL1W015	9405	1165/-	01
18W 840	LHEWEKP6PL1W018	9405	1435/-	01
18W 857	LHEWEKP7PL1W018	9405	1435/-	01

Ceiling cutout Ø 105 mm, height 25 mm for 6W, Ceiling cutout Ø 160 mm, height 25 mm for 12W, Ceiling cutout Ø 180mm, height 25 mm for 15W, Ceiling cutout Ø 210 mm, height 25 mm for 18W.



EDGEPRO SQUARE

The Edgepro range of Slim-Fit low profile downlights are engineered to deliver superior light output and uniformity utilising the latest edge-lit LED technology. At only 25mm deep including bracket, they are an ideal solution where ceiling voids are limited but high lumen output is required.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
6W 840	LHEWELP6PL1W006	9405	630/-	01
6W 857	LHEWELP7PL1W006	9405	630/-	01
12W 840	LHEWELP6PL1W012	9405	960/-	01
12W 857	LHEWELP7PL1W012	9405	960/-	01
15W 840	LHEWELP6PL1W015	9405	1165/-	01
15W 857	LHEWELP7PL1W015	9405	1165/-	01
18W 840	LHEWELP6PL1W018	9405	1435/-	01
18W 857	LHEWELP7PL1W018	9405	1435/-	01

Ceiling cutout 105x105 mm, height 17 mm for 6W, Ceiling cutout 160x160 mm, height 17 mm for 12W, Ceiling cutout 180x180mm, height 17 mm for 15W, Ceiling cutout 210x210 mm, height 17 mm for 18W,



Indoor Commercial LED Luminaires

DOWNLIGHTS

ENDURA NEO DL SURFACE

Surface mounted LED downlighter with white powder coated aluminium housing with integrated electronic driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 840	LHEAAGP6IA2W012	9405	1835/-	10
15W 857	LHEAAGP7IA2W012	9405	1835/-	10
21W 857	LHEAAGP7IA1W018	9405	2235/-	10
Fixture size in mm Ø 234, Height 57				



INTEGRA (SURFACE)

Surface mounted downlight with white powder coated polycarbonate housing and pressure die-cast heat sink having high efficiency.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
10W 830	LHEAAGP5PL1W010	9405	1235/-	12
10W 840	LHEAAGP6PL1W010	9405	1235/-	12
10W 857	LHEAAGP7PL1W010	9405	1235/-	12
15W 830	LHEAAGP5PL1W015	9405	1480/-	12
15W 840	LHEAAGP6PL1W015	9405	1480/-	12
15W 857	LHEAAGP7PL1W015	9405	1480/-	12
Fixture size in mm Ø 200, Height 69				



MAESTRO ROUND 15W

New generation, environmental friendly, ultra bright aesthetically design compact downlighter with high brightness LEDs, Ideally suited for low ceiling areas for glare free lighting.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 830	LHEBJSP5PZ1S015	9405	1390/-	08
15W 840	LHEWDSPP6PL1W015	9405	1390/-	08
15W 857	LHEWDSPP7PL1W015	9405	1390/-	08
Ceiling cutout Ø 166 mm, height 74 mm.				



MAESTRO SQUARE 15W

Recess mounted LED downlighter elegantly designed pressure die-cast Al. heat sink for efficient heat dissipation and separate replaceable electronic driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 830	LHEBJSP5IZ1S015	9405	1390/-	08
15W 840	LHEBJSP6PZ1S015	9405	1390/-	08
15W 857	LHEBJSP7PZ1S015	9405	1390/-	08
Ceiling cutout 155x155 mm, height 74 mm.				



SPARKLE PRO SNOOT (Driver to be ordered separately)

Recess mounted LED wall washers, tilted 70° outwards and swivels 360° to offer best illumination on the wall and retail displays.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
20W 830 40°	LHESAQPBIN1W020	9405	3575/-	06
20W 840 40°	LHESAQPDIN1W020	9405	3575/-	06
20W 860 40°	LHESAQPGIN1W020	9405	3575/-	06
20W LED Driver	LSSCRX1837	9405	575/-	06
30W 830 40°	LHESAQPBIN1W030	9405	4840/-	06
30W 840 40°	LHESAQPDIN2W030	9405	4840/-	06
30W 860 40°	LHESAQPGIN2W030	9405	4840/-	06
30W LED Driver	LSCELDLX0095	9405	960/-	06

Ceiling cutout 140 mm, height 140 mm for 20W, Ceiling cutout 175 mm, height 170 mm for 30W



SPARKLE PRO ADJUSTABLE (Driver to be ordered separately)

Recess mounted adjustable LED downlights made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
8W 830 40°	LHEBMKPBIH1W008	9405	870/-	06
8W 840 40°	LHEBMKPDIIH1W008	9405	870/-	06
8W 860 40°	LHEBMKPFIH1W008	9405	870/-	06
8W LED Driver	LSSCRX1252	9405	615/-	06
12W 830 40°	LHEBMKPBIH1W012	9405	1420/-	06
12W 840 40°	LHEBMKPDIIH1W012	9405	1420/-	06
12W 860 40°	LHEBMKPFIH1W012	9405	1420/-	06
12W LED Driver	LSSCRX2291	9405	630/-	06
20W 830 40°	LHEBMKPBIH1W020	9405	2090/-	06
20W 840 40°	LHEBMKPDIIH1W020	9405	2090/-	06
20W 860 40°	LHEBMKPFIH1W020	9405	2090/-	06
20W LED Driver	LSSCRX1837	9405	575/-	06
30W 830 40°	LHEBMKPBIH1W030	9405	2805/-	06
30W 840 40°	LHEBMKPDIIH1W030	9405	2805/-	06
30W 860 40°	LHEBMKPFIH1W030	9405	2805/-	06
30W LED Driver	LSSCRX2118	9405	845/-	06

Ceiling cutout 75 mm, height 55 mm for 8W, Ceiling cutout 85 mm, height 70 mm for 12W, Ceiling cutout 120 mm, height 90 mm for 20W, Ceiling cutout 150 mm, height 98 mm for 30W



SPARKLE PRO FIX (Driver to be ordered separately)

Recess mounted fixed LED downlight made of extruded Aluminium housing and high power LED as a light source with clear diffuser and separate electronic driver.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
8W 830 40°	LHEBLUPBIH1W008	9405	750/-	06
8W 840 40°	LHEBLUPDIIH1W008	9405	750/-	06
8W 860 40°	LHEBLUPFIH1W008	9405	750/-	06
8W LED Driver	LSSCRX1252	9405	615/-	06
12W 830 40°	LHEBLUPBII1W012	9405	1170/-	06
12W 840 40°	LHEBLUPDII1W012	9405	1170/-	06
12W 860 40°	LHEBLUPFII1W012	9405	1170/-	06
12W LED Driver	LSSCRX2291	9405	630/-	06
20W 830 40°	LHEBLUPBIH1W020	9405	1650/-	06
20W 840 40°	LHEBLUPDIIH1W020	9405	1650/-	06
20W 860 40°	LHEBLUPFIH1W020	9405	1650/-	06
20W LED Driver	LSSCRX1837	9405	575/-	06
30W 830 40°	LHEBLUPBIH1W030	9405	2595/-	06
30W 840 40°	LHEBLUPDIIH1W030	9405	2595/-	06
30W 860 40°	LHEBLUPFIH1W030	9405	2595/-	06
30W LED Driver	LSSCRX2118	9405	845/-	06
45W 830 40°	LHEBLUPBIE1W045	9405	3200/-	06
45W 840 40°	LHEBLUPDIE1W045	9405	3200/-	06
45W 860 40°	LHEBLUPFIE1W045	9405	3200/-	06
45W LED Driver	LSSCRX2295	9405	1200/-	06

Ceiling cutout 80 mm, height 60 mm for 8W, Ceiling cutout 105 mm, height 65 mm for 12W, Ceiling cutout 130mm, height 75 mm for 20W, Ceiling cutout 185 mm, height 95 mm for 30W Ceiling cutout 215mm, height 110 mm for 45W



Indoor Commercial LED Luminaires

DOWNLIGHTS

CYLINDRO

With the high power LED, CYLINDRO offers various luminous intensity levels from 1500-2500 Lumens which is the perfect alternate to conventional HID lamps. Suitable for 3 circuit-4 wire universal tracks. (Black colour available on request)

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 830 24D White	LHEEAWPBIG1W015	9405	4125/-	12
15W 830 38D White	LHEEAWPBIH1W015	9405	4125/-	12
15W 840 24D White	LHEEAWPDIG1W015	9405	4125/-	12
15W 840 38D White	LHEEAWPDIH1W015	9405	4125/-	12
15W 860 24D White	LHEEAWPFIG1W015	9405	4125/-	12
15W 860 38D White	LHEEAWPFIH1W015	9405	4125/-	12
25W 830 24D White	LHEEAWPBIG1W025	9405	4860/-	8
25W 830 38D White	LHEEAWPBIH1W025	9405	4860/-	8
25W 840 24D White	LHEEAWPDIG1W025	9405	4860/-	8
25W 840 38D White	LHEEAWPDIH1W025	9405	4860/-	8
25W 860 24D White	LHEEAWPFIG1W025	9405	4860/-	8
25W 860 38D White	LHEEAWPFIH1W025	9405	4860/-	8
Honey comb 15W	LSSLOB0040	9405	150/-	8
Honey comb 25W	LSSLOB0041	9405	150/-	8

Size: Dia 70mm, Length 180mm, Height 212mm for 15W, Size: Dia 90mm, 206mm, height 212mm for 25W



FIO TRACK LIGHT

Track based spot light with high efficiency reflector makes it ideal for lighting-up retail spaces with bright and crisp light throw. Suitable for 3 circuit-4 wire universal tracks.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
25W 830 White	LYEEBZPBPE1W025	9405	6415/-	08
25W 830 Black	LHEEBZPBPE1K025	9405	6415/-	08
25W 840 White	LYEEBZPDPE1W025	9405	6415/-	08
25W 840 Black	LHEEBZPDPE1K025	9405	6415/-	08
35W 830 White	LYEEBZBPB1W035	9405	8230/-	08
35W 840 White	LYEEBZPDPB1W035	9405	8230/-	08



TRACK ACCESSORIES

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
Fio I Shaped Connector	LSSLOW0060	9405*	685/-	-
Fio L Shaped Connector	LSSLOW0058	9405*	870/-	-
Fio T Shaped Connector	LSSLOW0059	9405*	870/-	-
Fio Track 1 Meter 3 Phase White	LSSLOW0057	9405*	1595/-	-
Fio Track 2 Meter 3 Phase White	LSSLOW0063	9405*	3180/-	-
Fio Adjustable Suspension 3 Meter	LSSLOX0087	9405*	320/-	-
1 Meter 3 Phase Track White	LHFGAANTN1W000	9405*	1595/-	-
2 Meter 3 Phase Track White	LHFGABNNTN1W000	9405*	3180/-	-
1 Meter 3 Phase Track Black	LHFGAAN1TN1K000	9405*	1595/-	-
2 Meter 3 Phase Track Black	LHFGABN2TN1K000	9405*	3180/-	-
Track Straight Connector 3 Phase Black	LSSLOB0031	9405*	685/-	-
Track L Connector 3 Phase Black	LSSLOB0032	9405*	870/-	-
Track Straight Connector 3 Phase White	LSSLOW0123	9405*	685/-	-
Track L Connector 3 Phase White	LSSLOW0124	9405*	870/-	-



ENDURA DL NEO 15W

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver compatible for Analog/DALI Dimming

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 840 1-10V Analog	LHEBJNP6QZ1W015	9405	1880/-	01
15W 857 1-10V Analog	LHEBJNP7QN1W015	9405	1880/-	01
15W 840 DALI	LHEBJNP6JZ1W015	9405	on request	01
15W 857 DALI	LHEBJNP7NZ1W015	9405	on request	01

Ceiling cutout Ø 155 mm, height 45 mm for 15W



ENDURA DL NEO 21/25W

Recess mounted LED downlighter elegantly designed pressure die-cast Al. heat sink for efficient heat dissipation and separate replaceable electronic driver compatible for Analog/DALI Dimming.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
21W 840 1-10V Analog	LHEBJNP6QZ1W021	9405	3045/-	01
21W 857 1-10V Analog	LHEBJNP7QZ1W021	9405	3045/-	01
25W 840 1-10V Analog	LHEBJNP6QZ1W025	9405	3135/-	01
25W 857 1-10V Analog	LHEBJNP7QN1W025	9405	3135/-	01
21W 840 DALI	LHEBJNP6JZ1W021	9405	on request	01
21W 857 DALI	LHEBJNP7JZ1W021	9405	on request	01
25W 840 DALI	LHEBJNP6JZ1W025	9405	on request	01
25W 857 DALI	LHEBJNP7JZ1W025	9405	on request	01

Ceiling cutout Ø 180 mm, height 68 mm for 21 and 25W



PLUTO NEO PANEL 2X2


New generation recess mounting luminaire with high brightness SMD LEDs as light source, suitable for Armstrong/Grid ceiling compatible for Analog / DALI Dimming.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
34W 840 1-10V Analog	LHEWEBP6QL1W034	9405	5915/-	01
34W 857 1-10V Analog	LHECDNL7QL1W034	9405	5915/-	01
34W 840 DALI	LHEWEIP6JL1W034	9405	on request	01
34W 857 DALI	LHEWEIP7JL1W034	9405	on request	01

Fixture size in mm (LxWxH) 600x600x70.








Industrial LED Luminaires

Havells offers a wide variety of solutions for all industrial applications. Havells ensures the enhancement of productivity of the employees with the right light to keep them motivated. The use of Havells Industrial lights provides fatigue-free and accident-free environment.

MAGNUM LED 24W IP66

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing in opal finish suitable for wet location with high brightness LEDs.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
24W LED 6000K (4 ft.)	LHFKAWN7UC8W024	9405	4115/-	12



MAGNUM GRAND

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP65 luminaire with PC housing & opal finish cover suitable for wet location. LEDs used as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
20W 5700K	LHESAPP7PN1W020	9405	3190/-	06
40W 5700K	LHESAPP7PN1W040	9405	5555/-	06
ENDURA MAGNUM 40W - IP65 (with Toggles)				
40W 6000K	LHEKAWN7UZ6J040	9405	5555/-	06



MAGNUM RETRO (Single Side Connection)

Environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP65 luminaire with PC housing & opal finish cover suitable for LED tubes.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x18W T8 LED Tube	LHFKAWN1TC6J018	9405*	1350/-	06
2x18W T8 LED Tube	LHFKAWN2TC6J018	9405*	1650/-	06



ENDURA WELL GLASS NEO - IP65

Environmental friendly, energy saving long life corrosion resistant, vertical/horizontal surface mounting pressure die-cast aluminium well glass luminaires with high power LED as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
24W LED 6000K	LHEMABNDPN6S024	9405	3850/-	06
35W LED 6000K	LHEMABNDPN7S035	9405	4585/-	06
40W LED 6000K	LHEMABNDPN7S040	9405	4765/-	06



ENDURA HIGHBRITE PLUS

Energy saving, environment friendly & robust open type vertical Highbay/Mediumbay LED IP54 luminaire with high power COB LED as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
50W 5000K	LHELAWUDPC5K050	9405	6155/-	01
90W 6500K (NB)	LHELAYUDPN6K090	9405	13290/-	01
90W 6500K (WB)	LHELAYUDPG6K090	9405	13290/-	01
150W 6500K (NB)	LHELAYUDPN6K150	9405	18330/-	01
150W 6500K (WB)	LHELAYUDPG6K150	9405	18330/-	01



Industrial LED Luminaires

HIGHBAY LIGHTING

ENDURA BAYBRITE SAUCER

Energy saving, environment friendly & robust Highbay/Mediumbay LED IP65 luminaire with high efficacy.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
80W 5700K (NB)	LHELAQU7PG6W080	9405	11560/-	01
80W 5700K (WB)	LHELAQU7IG6W080	9405	11560/-	01
120W 5700K (NB)	LHELAQU7PG6W120	9405	12905/-	01
120W 5700K (WB)	LHELAQU7IG6W120	9405	12905/-	01



ENDURA BAYBRITE PLUS

Energy saving, environmental friendly, long life, exclusive innovative pressure die-cast aluminium IP66 Bay light with high power LEDs as light source, suitable for highlighting architectural features or retail spaces.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
80W 5700K	LHELANU7PG6J080	9405	10815/-	04
90W 5700K	LHELANU7PG6J090	9405	11275/-	04
120W 5700K	LHELANU7PG6J120	9405	14205/-	02
150W 5700K	LHELANU7PG6J150	9405	19250/-	02



ENDURA BAYBRITE NEO

Energy saving, environmental friendly, long life, exclusive innovative pressure die-cast aluminium IP66 Bay light with high power LEDs as light source, suitable for highlighting architectural features or retail spaces.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
90W LED 6000K	LHELAWU7IN7J090	9405	12555/-	04
Frame	LSSLOG0004	-	500/-	04



AKATSIYA

Energy saving, environmental friendly, long life, exclusive innovative extruded aluminium IP65 petrol pump/canopy light with power LEDs as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
80W 5700K (360x360)	LHEMACN7ID6W080	9405	11740/-	01
80W 5700K (595x595)	LHEMACN7OD6W080	9405	13175/-	01



FLASHBAY

Flashbay LED is designed to replace existing under-canopy and industrial low-bay IP66 lights with HID lamps as a cost effective retrofit kit.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
80W 5700K	LHELAXU7PN7W080	9405	10360/-	02



LED CLEAN ROOM BOTTOM OPENING

IP65, dust free & zero maintenance LED Clean Room Bottom Opening luminaire for hygienic facilities.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
18 W REC 857 MS (340)	LHEDDQP7PK5W018	9405	2900/-	02
34W REC 857 MS (640)	LHEDDNP7PL5W034	9405	6200/-	02
42W REC 857 MS (640)	LHEDDNP7PL5W042	9405	6300/-	02
60W REC 857 MS (640)	LHEDDNP7PK5W060	9405	8300/-	02
80W REC 857 MS (640)	LHEDDNP7PK5W080	9405	8600/-	02
34W REC 857 MS (1164x340)	LHEDDOP7PL5W034	9405	7100/-	02
42W REC 857 MS (1164x340)	LHEDDOP7PL5W042	9405	7200/-	02
60W REC 857 MS (1164x340)	LHEDDOP7PL5W060	9405	9100/-	02
80W REC 857 MS (1164x340)	LHEDDOP7PL5W080	9405	9400/-	02
34W REC 857 MS (640x340)	LHEDDPP7PL5W034	9405	6200/-	02
42W REC 857MS (640x340)	LHEDDPP7PL5W042	9405	On Req	02
18W REC 857 SS (340x340)	LHEDDQP7PL5W018	9405	On Req	02
34W REC 857 SS (640)	LHEDDNP7PK5W034	9405	On Req	02
42W REC 857 SS (640)	LHEDDNP7PK5W042	9405	On Req	02
60W REC 857 SS (640)	LHEDDNP7PL5W060	9405	On Req	02
80W REC 857 SS (640)	LHEWEBP7PL1W080	9405	On Req	02
34W REC 857 SS (640x340)	LHEDDPP7PK5W034	9405	On Req	02
42W REC 857 SS (640x340)	LHEDDPP7PK5W042	9405	On Req	02
34W REC 857 SS (1164x340)	LHEDDOP7PK5W034	9405	On Req	02
42W REC 857 SS (1164x340)	LHEDDOP7PK5W042	9405	On Req	02
60W REC 857 SS (1164x340)	LHEDDOP7PK5W060	9405	On Req	02
80W REC 857 SS (1164x340)	LHEDDOP7PK5W080	9405	On Req	02



LED CLEAN ROOM TOP OPENING

IP65, dust free & zero maintenance LED Clean Room Top Opening luminaire for hygienic facilities.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
18 W REC 857 MS (300)	LHECECL7PL5W018	9405	3000/-	02
34W REC 857 MS (640)	LHECDDL7PL5W034	9405	7900/-	02
42W REC 857 MS (640)	LHECDDL7PL5W042	9405	8000/-	02
60W REC 857 MS (640)	LHECDDL7PL5W060	9405	8800/-	02
80W REC 857 MS (640)	LHECDDL7PL5W080	9405	9000/-	02
34W REC 857 MS (1164x340)	LHECEEL7PW5W034	9405	8200/-	02
42W REC 857 MS (1164x340)	LHECEEL7PW5W042	9405	8400/-	02
60W REC 857 MS (1164x340)	LHECEEL7PW5W060	9405	10000/-	02
80W REC 857 MS (1164x340)	LHECEEL7PW5W080	9405	10500/-	02
34W REC 857 MS (640x340)	LHECEDL7PL5W034	9405	On Req	02
42W REC 857 MS (640x340)	LHECEDL7PL5W042	9405	8000/-	02
18W REC 857 SS (340x340)	LHECECL7PW5W018	9405	On Req	02
34W REC 857 SS (640)	LHECDDL7PW5W034	9405	On Req	02
42W REC 857 SS (640)	LHECDDL7PW5W042	9405	On Req	02
60W REC 857 SS (640)	LHECDDL7PW5W060	9405	On Req	02
80W REC 857 SS (640)	LHECDDL7PW5W080	9405	On Req	02
34W REC 857 SS (1164x340)	LHECEEL7PL5W034	9405	On Req	02
42W REC 857 SS (1164x340)	LHECEEL7PL5W042	9405	On Req	02
60W REC 857 SS (1164x340)	LHECEEL7PL5W060	9405	On Req	02
80W REC 857 SS (1164x340)	LHECEEL7PL5W080	9405	On Req	02



Industrial LED Luminaires

CLEAN ROOM LIGHTS

WALKABLE TRAY FOR TOP OPENING CLEAN ROOM FIXTURES

Product Description	Ordering Code	HSN Code	Size (mm)	List Price (₹)	Case Lot (No)
Walkable Tray 1x1 for TOCR	LSSLOW0071	9405*	440x440	2290/-	02
Walkable Tray 1x2 for TOCR	LSSLOW0072	9405*	440x740	3025/-	02
Walkable Tray 1x4 for TOCR	LSSLOW0073	9405*	440x1340	4950/-	02
Walkable Tray 2x2 for TOCR	LSSLOW0074	9405*	740x740	4035/-	02





Outdoor LED Luminaires

Introducing the wide range of outdoor application LED products from Havells. This range is yet another example of Havells' endeavour to innovate and provide world class lighting solution, energy efficient products and robust design. These lights are designed to fulfill the lighting applications of City Road Lighting, Periphery Lighting, Prestigious Heritage Area Outdoor Lighting and Urban Landscape Lighting.

JETA NEO 30 & 50 LED IP65

Energy saving IP65 flood light luminaire with high power COB LED as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
30W LED 5000K	LHEPBFUEIN6W030	9405	3850/-	01
50W LED 5000K	LHEPBFUEIN6W050	9405	5600/-	01



JETA NEO 70

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP65 flood light, suitable for highlighting architectural facade and general purpose lighting.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
70W 6000K	LHEPBFU7PA7K070	9405	8890/-	02



JETA NEO 100

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP65 flood light, suitable for highlighting architectural facade and general purpose lighting.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
100W 6000K	LHEPCZU7PA6J100	9405	12375/-	02



JETA PRO PLUS

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP65 flood light with high power LEDs as light source, suitable for highlighting architectural facade highmast and general purpose lighting.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
120W 5700K	LHFPCZBFP46J120	9405	17030/-	01
150W 5700K	LHFPCZBFP46J150	9405	21065/-	01
180W 5700K	LHFPCZBFP46J180	9405	25995/-	01
200W 5700K	LHFPCZBFP46J200	9405	26890/-	01
240W 5700K	LHFPCZBFP46J240	9405	31370/-	01



JETA PRO 300W

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium IP65 flood light with high power LEDs as light source, suitable for highlighting architectural facade highmast and general purpose lighting.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
300W 6000K	LHEPDFU7P46J300	9405	44915/-	01



Outdoor LED Luminaires

LANDSCAPE LIGHTS

VICTORIA - IP65

Design from the renaissance era yet with a modern look using new generation technology in LED to enliven your outdoor areas in perfect synchronisation with functionality and aesthetics. Family of post top lantern designed to compliment the geometry of the area.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
40W 6500K	LHEVAHP7PN6J040	9405	23830/-	01
Suitable for pole dia Ø 76 mm.				



ENDURA SPRING 6

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with good indirect symmetrical light distribution, die-cast aluminium landscape IP65 luminaire with high power COB LED as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
35W 4000K	LHLC19145099	9405	16500/-	01
35W 6500K	LHLC18145099	9405	16500/-	01
Suitable for pole dia Ø 76 mm.				



RUBY (CLEAR) - IP65

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
25W 5700K	LHEVBGP7PN6K025	9405	7515/-	01
40W 5700K	LHEVBGP7PN6K040	9405	8250/-	01
Suitable for pole dia Ø 76 mm.				



CORAL (OPAL) - IP65

New generation, post-top, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
25W 5700K	LHEVBHP7PN6K025	9405	7515/-	01
40W 5700K	LHEVBHP7PN6K040	9405	8250/-	01
Suitable for pole dia Ø 76 mm.				



MUSHROOM - IP65

New generation, energy saving, environmental friendly, long life aesthetically designed die-cast aluminium landscape luminaire for downward lighting with high power LED as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
16W 3000K (680mm)	LHLC17145099	9405	8710/-	01
16W 5700K (680mm)	LHENAXPHPN6K016	9405	8710/-	01



BAMBOO - IP65

New generation, energy saving, environmental friendly, long life aesthetically designed aluminium landscape luminaire for diffused lighting with high power LED as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
8W 4000K (500mm)	LHEVBDP6IN6K008	9405	4125/-	01
8W 5000K (500mm)	LHEVBDP7IN6K008	9405	4125/-	01
8W 5700K (1000mm)	LHENAXP7PZ6K008	9405	4490/-	01



CONE - IP65

Cone series acts as a imposing street furniture. The elegant yet minimalistic design acts a silent observer and giving light, diffuser at the upper portion acts a beacon of path guidance in a landscape environment.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
8W 4000K (500mm)	LHENABP6IZ6K008	9405	4125/-	01
8W 5700K (500mm)	LHENABP7IZ6K008	9405	4125/-	01



ENDURA RUGBY NEO - IP65

Environmental friendly, ultra modern, energy saving, surface mounted, decorative oval bulk head edge-lit LED luminaire comprising of high brightness LEDs.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
10W 6000K	LHEOAOP7UZ6W010	9405	1575/-	08



RADIANT - IP65

Environmental friendly, new generation, energy saving, decorative rectangular shaped recessed Luminaire with LED as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
8W 3000K	LHESABPBUN6E008	9405	4310/-	08



Outdoor Luminaires

LANDSCAPE LIGHTS

POLES

Asthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
3.5 M	LHMP02135099	7308	15125/-	01
6.0 M	LHMP02106099	7308	25665/-	01



ENDURA PEARL

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having TOP OPENING separate driver compartment with IP65 protection and impact resistance of IK07.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 5700K	LHETBXU7IA6S015	9405	2135/-	01
20W 5700K	LHETBXU7PA6S020	9405	2285/-	01
25W 5700K	LHETBXU7PA6S025	9405	2375/-	01
Suitable for pole dia Ø 43 mm (max.).				



ENDURA PEARL PLUS

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having TOP OPENING separate driver compartment with IP66 protection and impact resistance of IK07 with 10KV Built-in SPD.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
60W 5700K with WSPD	LHETBXU7PA7B060	9405	7150/-	01
60W 5700K with NDPD	LHETBXU7OA7B060	9405	8065/-	01
60W 5700K with DPD	LHETBXU7JA7B060	9405	8800/-	01
70W 5700K with WSPD	LHETBXU7PA7B070	9405	7700/-	01
70W 5700K with NDPD	LHETBXU7OA7B070	9405	8615/-	01
70W 5700K with DPD	LHETBXU7JA7B070	9405	9350/-	01
80W 5700K with WSPD	LHETBXU7PA7B080	9405	9535/-	01
80W 5700K with NDPD	LHETBXU7OA7B080	9405	11085/-	01
80W 5700K with DPD	LHETBXU7JA7B080	9405	11185/-	01
Suitable for pole dia Ø 54 mm (max.).				
* WSPD- Standard Driver with 10KV SPD, NDPD- Non Dimmable Potted Driver with 10KV SPD, DPD- Dimmable Potted Driver with 10KV SPD				



ENDURA CITYLITE PLATINUM

Energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with acrylic cover as diffuser with IP66 protection and Impact resistance of IK07.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 5700K	LHEWEBP7PL6S015	9405	2285/-	01
20W 5700K	LHEWEBP7PL6S020	9405	2330/-	01
25W 5700K	LHEWEBP7PL6S025	9405	2465/-	01
30W 5700K	LHEWEBP7PL6S030	9405	3360/-	01
Suitable for pole dia Ø 43 mm (max.).				



ENDURA CITYLITE PLATINUM PLUS

Energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high power LED as lighting source and lens embedded PC cover having IP65 protection and Impact resistance of IK07.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
30W 5700K	LHETBXU7PAIS030	9405	3360/-	01
35W 5700K	LHETBXU7PAIS035	9405	3800/-	01
Suitable for pole dia Ø 43 mm (max.).				



Outdoor LED Luminaires

STREET LIGHTS

ENDURA CITYLITE PLATINUM TGL

LED streetlight made up of pressure die cast housing with toughened glass and individual high power LEDs with secondary optics, IP66 protection and impact resistance of IK07.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
15W 5700K	LHETAXU7PA6S015	9405	2465/-	01
20W 5700K	LHETAXU7PA6S020	9405	2510/-	01
25W 5700K	LHETAXU7PA6S025	9405	2690/-	01
Suitable for pole dia Ø 43 mm (max.).				



ENDURA CITYLINER NEO PLUS

LED streetlight made up of pressure die cast housing with toughened glass and individual high power LEDs with secondary optics, IP66 protection, impact resistance of IK07 & 10 KV external SPD.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
48W 5700K	LHETAXU7PA6W048	9405	6095/-	01
Suitable for pole dia Ø 42 mm (max.).				



ENDURA CITYLINER NEO

LED streetlight made up of pressure die cast housing with toughened glass and individual high power LEDs with secondary optics, IP66 protection and impact resistance of IK07.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
45W 5700K	LHETAXU7PN6J045	9405	5410/-	01
48W 5700K	LHETAXU7PN6W048	9405	5960/-	01
Suitable for pole dia Ø 36 mm (max.).				



ENDURA CITYLINER NEO/ NEO N

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
90W Neo 5700K	LHETBXU7PN6J090	9405	10305/-	01
120W Neo N 5700K	LHETAXU7PA6J120	9405	13085/-	01
Suitable for pole dia Ø 54 mm (max.).				



ENDURA PULSE

LED streetlight made up of pressure die cast housing with toughened glass and individual high power LEDs with secondary optics, IP66 protection and impact resistance of IK07.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
60W 5700K	LHETBXU7PA6J060	9405	7150/-	01
70W 5700K	LHETBXU7PA6J070	9405	7700/-	01
80W 5700K	LHETBXU7PA6J080	9405	10085/-	01
90W 5700K	LHETBXU7PA6J090	9405	11000/-	01
135W 5700K	LHETBXU7PA6J135	9405	15125/-	01
150W 5700K	LHETBXU7PA6J150	9405	19705/-	01
170W 5700K	LHETBXU7PA6J170	9405	23830/-	01
200W 5700K	LHETBXU7PA6J200	9405	24750/-	01

Suitable for pole dia Ø 54 mm (max.) for 60W/70W/80W/90W.

Suitable for pole dia Ø 63 mm (Max.) for 135W/150W/170W/200W.



ENDURA CITYLINER UBER

Aesthetically designed pressure die cast aluminium housing with toughened glass with individual high power LEDs with secondary optics having TOP OPENING/accessible driver compartment having IP66 protection and impact resistance of IK07.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
90W 5700K	LHEWEBP7PN6H090	9405	23305/-	01
120W 5700K	LHEWEBP7PN6H120	9405	25095/-	01

Suitable for pole dia Ø 64 mm (max.).

*Availability shall be 8-10 weeks after order placement.



ENDURA CITYLINER UBER PLUS

Aesthetically designed pressure die cast aluminium housing with toughened glass with individual high power LEDs with secondary optics having TOP OPENING/accessible driver compartment having IP66 protection and impact resistance of IK07.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
210W 5700K	LHETBXU7PA6A210	9405	38095/-	01
255W 5700K	LHETBXU7PA6A255	9405	39885/-	01

Suitable for pole dia Ø 64 mm (max.).

*Availability shall be 8-10 weeks after order placement.



Outdoor LED Luminaires

SOLAR STREET LIGHTS/MINI MAST

enviro Solar LED Standalone Street Light Range

For Panel, Battery, Pole and SCC specification pls. contact branch office or refer Catalogue

Solar Standalone Street Light system mentioned below includes LED street Light with in-built SCC, SPV Panel, Lead Acid Battery, GI Tubular Pole.

Ordering Code	HSN Code	Luminaire Wattage	System Voltage	Lumen	MPPT/ PWM	Solar Panel Wp	Battery Ah	Battery Box Type	GI Tubular Pole above ground	List Price (₹)
LHSTAKU7CAAB007	8543	7	12	735	PWM	40	40	Metal Box at 3 mtr height	4 M TUB Pole	29900/-
LHSTANU7CAAD012	8543	12	12	1200	PWM	60	40	Metal Box at 3 mtr height	5 M TUB Pole	35600/-
LHSTAQU7CABD015	8543	15	12	1500	PWM	75	60	Metal Box at 3 mtr height	5 M TUB Pole	41800/-
LHSTAAU7CACD020	8543	20	12	2100	PWM	90	75	Metal Box at 3 mtr height	5 M TUB Pole	46400/-
LHSTAQU7CAFF024	8543	24	12	2400	PWM	120	80	Metal Box at 3 mtr height	5 M TUB Pole	50900/-
LHSTARU7AACD021	8543	21	12	2205	MPPT	80	75	Metal Box at 3 mtr height	5 M TUB Pole	46700/-
LHSTAPU7A AFF024	8543	24	12	2400	MPPT	100	80	Metal Box at 3 mtr height	5 M TUB Pole	50400/-
LHSTAQU7AAGI030	8543	30	12	3150	MPPT	120	100	Metal Box at 3 mtr height	6 M TUB Pole (B)	58800/-
LHSTATU7AAHI036	8543	36	12	3780	MPPT	150	120	Metal Box at 3 mtr height	6 M TUB Pole (B)	67700/-
LHSTATU7AAIF039	8543	39	12	4095	MPPT	160 (80x2)	150	Metal Box at 3 mtr height	6 M TUB Pole (B)	73300/-
LHSTABU7AAIF045	8543	45	24	4725	MPPT	180 (90x2)	160 (80x2)	Metal Box at 3 mtr height	6 M TUB Pole (B)	86900/-
LHSTACU7AAKH060	8543	60	24	6300	MPPT	240 (120x2)	200 (100x2)	Metal Box at 3 mtr height	7 M Oct	123600/-
LHSTAZU7AAKH070	8543	70	24	7350	MPPT	300 (150x2)	240 (120x2)	Metal Box at 3 mtr height	7 M Oct	140300/-

enviro Solar Mini Mast

For Panel, Battery, Mast and SCC specification pls. contact branch office or refer Catalogue.

Solar Mini Mast System	HSN Code	Mini Mast	List Price (₹)
3x33W Flood Light	8543	8 M	253000/-
3x45W Flood Light	8543	10 M	307000/-
4x20W Street Light	8543	6 M	217000/-
4x24W Street Light	8543	7 M	249000/-

SSL Neo Solar Street Light with in-built SCC

Ordering Code	HSN Code	Luminaire Wattage	System Voltage	Lumen	Solar Charge Controller	List Price (₹)	Case Lot (No)
LHKTBJU7PA6J007	8543	7	12	630	PWM	4696/-	24
LHKTBJU7PA6J009	8543	9	12	810	PWM	5271/-	24
LHKTBJU7PA6J012	8543	12	12	1080	PWM	5654/-	24
LHKTBJU7PA6J015	8543	15	12	1350	PWM	5942/-	24
LHKTBJU7PA6J018	8543	18	12	1620	PWM	6229/-	24
LHKTBJU7PA6J020	8543	20	12	1800	PWM	6613/-	24
LHKTBJU7PA6J024	8543	24	12	2160	PWM	6996/-	12
LHKTBJU7PA6J028	8543	28	12	2520	PWM	7475/-	12

NOTE: Above prices would vary with the change in the specs of the SPV Panel, Battery, Pole Etc. Transportation will be charged extra as actual on Mini Mast.



Conventional Luminaires Portfolio

SURFACE CUM RECESS T5 MIRROR OPTICS

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x28W FTL T5	LHECDEFDIH1W028	9405*	1450/-	02
2x28W FTL T5	LHECDEFOIH1W028	9405*	1725/-	02

Ceiling cutout size (mm): 1230 x 150 -1x28W FTL T5. 1230 x 185 -2x28W FTL T5.
Note: Pre-Ano. Ref. L2 Cat. available on request.



SURFACE CUM RECESS T8 MIRROR OPTICS

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x36W FTL T8 HF	LHECDEGFIH1W036	9405*	1450/-	02
2x36W FTL T8 HF	LHECDEGOIH1W036	9405*	1840/-	02

Ceiling cutout size (mm): 1275 x 160 -1x36W FTL T8, 1275 x 200 -2x36W FTL T8.



BATTEN EZ T5

Powder coated Batten for T5 28W with replaceable Electronic Ballast.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x14W FTL T5	LHFYBYF1OA1W014	9405*	445/-	10
1x28W FTL T5	LHIT81128032	9405*	475/-	10



REGAL BATTEN T5

Powder coated Regal Batten for T5 28W.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x28W FTL T5	LHFYBYF1ON1W028	9405*	555/-	10
2x28W FTL T5	LHFYBYF2ON1W028	9405*	890/-	10
1x28W FTL T5 THD<10%	LHFYBYF1PB1W028	9405*	670/-	10
2x28W FTL T5 THD<10%	LHFYBYF2PB1W028	9405*	1115/-	10



PCR FOR REGAL BATTEN T5

Powder coated reflector for Regal Batten T5.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
PCR upto 2x28W T5	LSSLOW0007	9405*	235/-	10

Reflectors supplied in separate packaging of 10 pieces.



Conventional Luminaires Portfolio

LUMINAIRES

ALR FOR REGAL BATTEN T5

Pre-anodised aluminium reflector for Regal Batten T5.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
ALR upto 2x28W T5	LSSLOX0021	9405*	265/-	10
Reflectors supplied in separate packaging of 10 pieces.				



REGAL BATTEN T8 NEO

Powder coated Regal Batten type luminaire with electronic ballast, suitable for domestic application 230V, 50Hz supply.


Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x36W T8 Neo	LHFYBYG1IN1W036*	9405*	390/-	10
*For domestic application only.				



REGAL BATTEN T8 EZ

Powder coated Regal Batten type luminaire with electronic ballast, suitable for domestic application 240V, 50Hz supply.


Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
2x36W FTL HF T8 EZ	LHFYBYG2IN1W036	9405*	780/-	10



REGAL BATTEN

Powder coated Regal Batten type luminaire with electronic ballast, suitable for Industrial application 240V, 50Hz supply.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x36W FTL HF	LHFYBYG1OB1W036	9405*	555/-	10
2x36W FTL HF	LHFYBYG2IB1W036	9405*	890/-	10



PCR FOR REGAL BATTEN

Powder coated reflector suitable for Regal Batten T8.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
PCR upto 1x36W FTL	LSSLOW0008	9405*	295/-	10
PCR upto 2x36W FTL	LSSLOW0009	9405*	350/-	10
Reflectors supplied in separate packaging of 10 pieces.				



ALR FOR REGAL BATTEN

Pre-anodised aluminium reflector suitable for Regal Batten T8.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
ALR upto 2x36W FTL	LSSLOX0023	9405*	410/-	10
Reflectors supplied in separate packaging of 10 pieces.				



RUGBY

Bulk head in die cast aluminium housing & frosted glass.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
upto 1x8W CFL(TU)/ 100W GLS	LHKL01160099	9405*	380/-	12



JETA 1

Pressure die-cast aluminium floodlight luminaire for linear tungsten halogen lamp.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
500W Halogen	LHFH05150099	9405*	530/-	12



JETA 2

Pressure die-cast aluminium floodlight luminaire for linear tungsten halogen lamp.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1000W Halogen	LHFH05110099	9405*	1085/-	06



JETA 6 RO IP66

Pressure die-cast aluminium integral floodlight luminaire for SON-T/MH SET lamp.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x250W SON-T/MH SET	Housing	LHFPBLP1AC7W400	9405*	3460/-	01
	Ballast	LHGMCEJENEAC1250	8504	1525/-	04
1x400W SON-T/MH SET	Housing	LHFPBLP1AC7W400	9405*	3460/-	01
	Ballast	LHGMCKENEAE1400	8504	2140/-	04



Conventional Luminaires Portfolio

LUMINAIRES

JETA 6 NEW IP65

Pressure die-cast aluminium integral floodlight luminaire for SON-T/MH SET lamp.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x250W SON-T/MH SET	Housing Ballast	LHFM39140C99 LHGMCKJENEAC1250	9405* 8504	3400/- 1525/-	01 04
1x400W SON-T/MH SET	Housing Ballast	LHFM39140C99 LHGMCKJENEAC1400	9405* 8504	3400/- 2140/-	01 04



JETA 7 IP65

Pressure die-cast aluminium integral compact wide beam floodlight luminaire for HID lamp.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x70W MH DE	Housing Ballast	LHFM40115D99 LHBW07170036	9405* 8504	2460/- 660/-	01 08
1x150W MH DE	Housing Ballast	LHFM40115D99 LHBW20115036	9405* 8504	2460/- 1055/-	01 06



RANGER 2 OVAL NI IP65

Non-integral cast aluminium floodlight luminaire for twin tubular HID lamps upto 400W.

Product Description	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
upto 2x400W SON-T/MH SET	LHFM06240099	9405*	3810/-	01

Use appropriate CG box for selected lamp sources & wattage, price extra.



IMPACT POP NEW IP66

Streetlight luminaire in a single pc. pressure die-cast aluminium housing with "pot optics" & flat toughened glass. Suitable for lower wattage HID lamps.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x70W SON/MH-T	Housing Ballast	LHRY30170D99 LHBW07170036	9405* 8504	1845/- 660/-	01 08

Suitable for pole dia Ø 50 mm (max.).



IMPACT POPULAR

Streetlight luminaire in single pc. pressure die-cast aluminium housing with "pot optics" & flat toughened glass.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x150W SON-T IP66	Housing Ballast	LHFTAZE1AN7J150 LHBW20115036	9405* 8504	2400/- 1055/-	01 04
1x250W SON-T IP66	Housing Ballast	LHRS30125D99 LHGMCKJENEAC1250	9405* 8504	2725/- 1525/-	01 04

Suitable for pole dia Ø 50 mm (max.).



ORION - RETRO 35

Street light luminaire in a single pc. deep drawn aluminium housing anodised inside & Acrylic Cover.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x35W Spiral Retro CFL B22	LHRC24136099	9405*	820/-	01
Complete with acrylic cover. Suitable for pole dia Ø 25 mm (max.).				



ORION - RETRO 45

Street light luminaire in a single pc. deep drawn aluminium housing with anodising inside & Acrylic Cover.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x45W 4U Retro CFL B22	LHRC24145099	9405*	940/-	01
Complete with acrylic cover. Suitable for pole dia Ø 35 mm (max.).				



ORION - RETRO 85

Street light luminaire in a single pc. deep drawn aluminium housing anodised inside & Acrylic Cover.

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x85W 4U Retro CFL B22	LHRC24185099	9405*	1055/-	01
Complete with acrylic cover. Suitable for pole dia Ø 35 mm (max.).				



ORION NOVA NEW 150W SV

Street light luminaire in a single pc. deep drawn aluminium housing with side reflectors & Acrylic Cover.
Suitable for medium wattage Sodium lamp.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x150W SON-E	Housing	LHRS07115A99	9405*	1515/-	02
	Acrylic Cover	LHYS07115099	9405*	365/-	08
	Ballast	LHBW20115036	8504	1055/-	06
Suitable for pole dia Ø 50 mm (max.).					



ORION NOVA 250W SV

Street light luminaire in a single pc. deep drawn aluminium housing with side reflectors & Acrylic Cover.
Suitable for higher wattage Sodium lamp.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x250W SON-E	Housing	LHRS07125A99	9405*	1965/-	02
	Acrylic Cover	LHYS07125099	9405*	410/-	08
	Ballast	LHBW00125036	8504	1525/-	04
Suitable for pole dia Ø 50 mm (max.).					



Conventional Luminaires Portfolio

ACCESSORIES

DD POWER PACK

Powder coated deep drawn housing control gear for single HID lamps.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x400W SV/MH	Housing Ballast	LHGW02140B99 LHGMCKENEAE1400	9405* 8504	1350/- 2140/-	01 04



CA POWER PACK

Powder coated cast aluminium housing control gear for single HID lamps.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x250W SON/MH	Housing Ballast	LHGW04125B99 LHGMCKENEAE1250	9405* 8504	1350/- 1525/-	02 04



CA POWER PACK

Powder coated cast aluminium housing control gear for single HID lamps.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x400W SON/MH	Housing Ballast	LHGW03140B99 LHGMCKENEAE1400	9405* 8504	1585/- 2140/-	02 04



CA POWER PACK FOR TWIN LAMPS

Powder coated cast aluminium housing control gear for twin HID lamps.

Lamp Type	Product	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
2x250W SON/MH	Housing Ballast	LHGW04225B99 LHGMCKENEAE1250	9405* 8504	2930/- 3050/-	02 04
2x400W SON/MH	Housing Ballast	LHGW04240B99 LHGMCKENEAE1400	9405* 8504	3080/- 4280/-	02 04



OPEN CONSTRUCTION (OC) BALLAST for HID Lamps - 240V 50Hz

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x70W SON/MH	LHBW07170036	8504	660/-	08
1x150W SON/MH	LHBW20115036	8504	1055/-	06
1x250W SV/MH Sleek	LHGMCKENEAE1250	8504	1525/-	04
1x400W SV/MH Sleek	LHGMCKENEAE1400	8504	2140/-	04
1x400W HPMV	LHGMCKENEAE1400	8504	1700/-	04

*Base plate & stack design as per 400W SON/MH OC ballast.



OLYMPIAN SLIM/ SLEEK (ELECTRONIC BALLAST)

Ignitor for	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x36W FTL with wire	LHBF28904025	8504	225/-	20



T5 EZ/ T8 EZ (ELECTRONIC BALLAST)

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x28W FTL	LHBT03128032	8504	250/-	20
1x36W FTL	LHGEAFDBHPA1036	8504	220/-	20



OLYMPIAN (ELECTRONIC BALLAST)

Ignitor for	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x36/40W FTL	LHBF27904025	8504	225/-	20



ELECTRONIC BALLASTS

for T5 / T8 / T12 Fluorescent lamps - High performance (THD<33%)

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
2x28W FTL T5	LHBT01228033	8504	485/-	20
1x36/40W FTL	LHBF07104026	8504	335/-	20
2x36/40W FTL	LHBF07204027	8504	485/-	20
2x24W FTL	LHBT01224034	8504	455/-	20



ELECTRONIC BALLASTS

for T5 / T8 / T12 Fluorescent lamps - High performance (THD<10%)

Lamp Type	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
1x28W FTL T5 Slim	LHBT03128050	8504	475/-	25
1x36/40W FTL	LHBF08104028	8504	445/-	25




Conventional Luminaires Portfolio

ACCESSORIES

D TYPE SHORT DISTANCE IGNITORS WITH STUD
for 70-400W SON & MH lamps


Ignitor for	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
HPSV/MH lamp	LHGEAJENNNA1000	8504	125/-	50



IGNITORS for 70-400W HID lamps

Ignitor for	Ordering Code	HSN Code	List Price (₹)	Case Lot (No)
HPSV lamp (S.D.) upto 5m	LHGEAJENNNA1099	8504	95/-	50
SV/MH lamp (L.D.) upto 30m	LHGEAJENNNA1999	8504	135/-	06

S.D. is short distance, L.D. is long distance.



TUNGSTON LINER HALOGEN LAMP (TH)

Lamp Type	Ordering Code	HSN Code	Cap Base	List Price (₹)	Case Lot (No)
500W Halogen	LHSH10050099	8539	Rx7s	65/-	50x8*
1000W Halogen	LHSH10010099	8539	Rx7s	90/-	50x8*

*Halogen Lamps are packed individually in coloured boxes and 50 lamps packed in 1 box and 8 boxes of 50 lamps in each master carton.



METAL HALIDE DOUBLE ENDED QUARTZ TUBE LAMP (MH DE) - for enclosed fixture* only

Lamp Type	Ordering Code	HSN Code	Cap Base	List Price (₹)	Case Lot (No)
70W MHDE - 6000K	LHSM26070699	8539	Rx7s	460/-	12
150W MHDE - 6000K	LHSM26015699	8539	Rx7s	460/-	12

*Enclosed fixture implies, fixture covered with tempered / toughened glass.



METAL HALIDE SINGLE ENDED CLEAR TUBULAR LAMP (MH SET) - for enclosed fixture* only

Lamp Type	Ordering Code	HSN Code	Cap Base	List Price (₹)	Case Lot (No)
70W MH SET - 4000K	LHSM12070499	8539	E27	685/-	40
150W MH SET - 4000K	LHSM12015499	8539	E27	685/-	40
150W MH SET - 4000K	LHLIAEJBUI8Y150	8539	E40	685/-	12
250W MH SET - 6000K (Inst)	LHLQABIGUC8O250	8539	E40	755/-	12
400W (BT) - 6000K (Inst)	LHLQALIGUL7O400	8539	E40	755/-	12

*Enclosed fixture implies, fixture covered with tempered / toughened glass.



250W MH SET



400W MH SET - (BT TYPE)

METAL HALIDE SINGLE ENDED COATED ELLIPTICAL LAMP (MH SEE) - for enclosed fixture* only

Lamp Type	Ordering Code	HSN Code	Cap Base	List Price (₹)	Case Lot (No)
70W MH SEE - 6000K	LHLQABHFUC7P070	8539	E27	685/-	24

*Enclosed fixture implies, fixture covered with tempered / toughened glass.



HIGH PRESSURE SODIUM VAPOUR TUBULAR CLEAR LAMP (SON-T)

Lamp Type	Ordering Code	HSN Code	Cap Base	List Price (₹)	Case Lot (No)
70W SON-T	LHSS16107099	8539	E27	260/-	40
150W SON-T	LHSS16015099	8539	E40	370/-	12
250W SON-T	LHSS16025099	8539	E40	400/-	12
400W SON-T	LHSS16040099	8539	E40	460/-	12



Conventional Luminaires Portfolio

LAMPS

HIGH PRESSURE SODIUM VAPOUR ELLIPTICAL COATED LAMP (SON-E)

Lamp Type	Ordering Code	HSN Code	Cap Base	List Price (₹)	Case Lot (No)
70W SON-E	LHSS15170099	8539	E27	260/-	20



T5 HIGH EFFICIENCY/ HIGH OUTPUT FTL LAMP

Lamp Type	Ordering Code	HSN Code	Cap Base	List Price (₹)	Case Lot (No)
14W T5 HE - 6500K	LHST27114699	8539	G5	95/-	50
28W T5 HE - 6500K	LHST27128699	8539	G5	110/-	50
24W T5 HO - 6500K	LHST27124699	8539	G5	125/-	50







GENERAL CONDITIONS OF BUSINESS

- Prices are in Indian ₹ (Inclusive of GST)
- All prices are subject to Havells general terms & conditions of business.
- Warranty voids for LED fixtures including drivers, if individual points of installations are not provided with proper earthing.
- Goods are despatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers.
- Orders should be placed in case lot multiples & against the confirmed purchase order only.
- Continuous design improvement is a routine practice at Havells. Data provided may change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without notice.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.
- Disputes, if any are subject to Delhi jurisdiction only.

HSN Code	Products Included	GST Applicable
9405	LED Fixtures and LED Drivers	12%
9405*	Conventional Fixtures	28%
8504	Ballast (Electronic, HID)/ Igniters	18%
8543	Solar Street Lights/Mini Mast	5%
7308	Galvanized products	18%
8504*	Rest	28%
8539	Non-LED Lamps	18%

How to read the description

830 - CRI 80, 3000K
 840 - CRI 80, 4000K
 857 - CRI 80, 5700K
 860 - CRI 80, 6000K
 865 - CRI 80, 6500K

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, however current details should therefore be checked with Havells. Specifications and performance data are constantly changing.

REGIONAL & BRANCH OFFICES:

NORTH - REGIONAL OFFICE: Corporate Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, **Delhi:** Tel: 011-47676700, 23888200, **Chandigarh:** Tel: 0172-4232400-401, **Dehradun:** Tel: 0135-6670202, **Noida / Haryana:** Tel: 0120-3331000, **Ludhiana:** Tel: 0161-4676000 / 24, **Jammu:** Tel: 0191-2478330, 2479330, **Sri Nagar:** Tel: 0194-2490431, **Jaipur:** Tel: 0141-3914645, 3988210 **Jodhpur:** Tel: 0291-9214201640 / 45, **Lucknow:** Tel: 0522-6672100, **Kanpur:** Tel: 0512-6710400, 6710409

EAST - REGIONAL OFFICE: Kolkata: ICC Tower, 5th Floor, 4 India Exchange Place, Kolkata-700001, Tel: 033-40129851 / 52, **Bhubaneswar:** Tel: 0674-6668101/102/103/104, **Guwahati:** Tel: 0361-2134521, 2458923, 2460355, **Siliguri:** Tel: 0353-2525907, **Ranchi:** 0651-2244861, 2244862, 2244864, 2244868, 2244869, **Jamshedpur:** Tel: 0657-6542492, 09234369436, **Patna:** Tel: 0612-2207221, 2207222, 2207223, 2655518

WEST - REGIONAL OFFICE: Mumbai: 1271, Solitaire Corporate Park, Bldg. No. 12, 7th Floor, Andheri - Ghatkopar Link Road, Chakala, Andheri (East), Mumbai- 400093. Ph.: 022 - 67298600-602, **Ahmedabad:** Tel: 079-40061111, 40060738-740, **Indore:** Tel: 0731-2572340-41, 4009998 (Airtel), **Rajkot:** Tel: 0281-2481112, 2921212, **Nagpur:** Tel: 0712-2240932, 2242692, 2242699 **Pune:** Tel: 020-64016413 / 14, **Raipur:** Tel: 0771-4243400 / 01, **Surat:** Tel: 0261-2350137, 9979890137, **Jabalpur:** Tel: 0761-4064491

SOUTH - REGIONAL OFFICE: Chennai: Sigapi Achi Building, No. 18 / 3, 6th Floor, Rukmani Lakshminpathy Road, Egmore, Chennai-600008, Tel: 044-42280600, 605, **Bangalore:** Tel: 080-49075000, **Coimbatore:** Tel: 0422-4550200, 2305199, 2306199, **Hyderabad:** Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, **Kochi:** Tel: 0484-4099000, **Vizag:** Tel: 0891-6514339, **Vijayawada:** Tel: +91-9247058847/57, **Calicut:** 0495-4019194, **Madurai:** 0452-4267022, **Trivandrum:** 0471-4015323, **Hubli:** 09448146028, **Trichy:** 09944460160

Representative Offices: • Goa • Solapur • Gwalior • Kathmandu • Bhopal

Scan the QR Code
to download
Havells mCatalogue



Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000,
 E-mail: marketing@havells.com, www.havells.com
 Consumer Care No.: 1800 11 0303, 1800 103 1313 (All Connections), 011-4166 0303 (Landline)
 Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!
 CIN - L31900DL1983PLC016304.

